

Respiratory Protection Positive and Negative Pressure



Our Story

GVS is a global manufacturer of filtration devices for the medical and life sciences, energy and mobility, and health and safety sectors.

With our Health & Safety Division, we are specialists in respiratory protection, and we are committed to protecting you for life's best moments.

Protecting people is at the heart of everything we do at GVS. For over forty years, we've been serving the industrial market, collaborating with world-renowned engineers, and constantly pushing the boundaries of creativity with new technologies that improve the functional features of our products, while seeking input from our end-users and refining our range to create the best respirators in the world.

As our passion for protecting people continues to grow, we have expanded our product range to cover more applications and improve the lives of more people through the acquisition of RPB Safety.

ALASDAF Trading Est E: alasdaf@al-asdaf.com T: +966 13 362 0988 www.alasdaf.com.sa



GVS North America Catalog 2023 | Our Story



Contents

Powered Air

6 PX5[®] PAPR

Loose-fitting Respirators

- 12 Z-Link®
- **28** Z4°
- 36 T-Link®
- **42** T200[™]
- **48** Nova 3°

Air Supply, Filtration, & Monitoring

- 54 Radex[®] Airline Filter
- 58 GX4° Gas Monitor
- 62 Supplied Air Flow Control Devices

Tight-fitting Respirators

- **68** Elipse®
- 73 Segre
- **74** Integra®





PX5[®] PAPR Respiratory Protection Reimagined

The PX5[®] PAPR changes the way people experience clean filtered air across multiple industries – from medical and chemical settings, through to the profoundly harsh environments of foundries.

The PX5 is the result of years of product refinement, designed with new functional capabilities that increase your ability to perform, while enhancing your experience of comfort. The PX5 redefines what it means to be a powered air purifying respirator.

Weighing just 2.55lbs (1.16kg) with the HEPA filter fitted, and between 3.63lbs (1.65kg) and 3.74 lbs (1.7kg) with a gas filter fitted, the PX5 allows you to get more out of your day by reducing the effects of fatigue. Through strategically distributing its weight with its vertical mounting position and support from our flexi-belt system, the PX5 contours to your body for maximized comfort and stability.

With sleek considered surfaces, quick release mount lock system and certified for IP65 in use and IP67 with cleaning kit in place, the PX5 enables you to efficiently disinfect the unit, reducing downtime and ensuring the system is ready to protect you again.

The PX5 offers three fan speed settings so you can adjust the airflow to suit your personal preferences and the type of environment/application you're working in, these include 170, 210 and 240lpm.

B

æ

ПD

The PX5 is truly the hallmark of powered air purifying respirator capabilities and their practical application.



Weighing just 2.55lbs (1.16kg) with the HEPA filter fitted, and between 3.63lbs (1.65kg) and 3.74 lbs (1.7kg) with gas filter fitted, the sleek, lightweight, compact design maximizes your experience of comfort.

The PX5 unit attaches to our flexi-belt system (fitted with the decon easy clean belt) via our intuitive vertical mount lock system. The unit easily removes for quick and simple decontamination process. Backpack option is available for applications that require a greater range of movement and work across varied angles.



Visual, audible and vibrating alarms alert you when the battery level is low, or when airflow falls below the minimum requirements, due to the filter needing replacing or when airflow is obstructed.

50

B



User Interface Intuitive LED user interface indicates airflow, fan speed and battery level.



Ingress Protection -With a completely sealed housing, the PX5 has been certified to IP65 rating in use.

> The filter door cannot mount to the unit unless a filter is fixed in place.

The HEPA filter removes up to 99.97% of particulates down to 0.12 microns. The gas filters protect against organic vapor exposure. Replace the pre-filter daily to extend the life of the main filter.



HEPA Filter



OV/AG & Multi-gas Filters

Sealed inside the unit during operation, the long-life lithium-ion battery is protected from moisture when decontaminating and will not disconnect or bump off while operating.



PX5[®] PAPR Respiratory Protection Reimagined

PX5 PAPR Approved Headtops


PX5 PAPR Approved He	adtops		PX5 PAPR Packages	
		10 A A	GVS Part #	Description
Z-Link [®] Page 12-27 PX5 PAPR Packages	Image: 28-35 Image: 28-35	T200™ Page 42-47	03-802	PX5 PAPR Easy Clean Starter for Gas Cartridges Package also includes: Rechargeable battery and Easy clean belt Gas cartridge door Flow meter 1x pre-filters (pk 10). Gas cartridge sold separately.
GVS Part #	Description	Certifications	03-802-FR	PX5 PAPR Industrial Starter Pa
03-801	 PX5 PAPR Easy Clean Starter Pack Package also includes: Rechargeable battery and charging bank Easy clean belt Flow meter 1x HEPA filter 1x pre-filters (pk 10). 	NIOSH* IP65		for Gas Cartridges Package also includes: Rechargeable battery and FR belt Gas cartridge door Flow meter 1x spark arrestor 1x pre-filters (pk 10). Gas cartridge sold separately.
03-803	PX5 PAPR Easy Clean Starter Pack with Backpack	NIOSH*	PX5 PAPR Filters/Cartridge	S
	Package also includes: Rechargeable battery and charging bank Easy clean belt with backpack assembly	IP65	GVS Part #	Description
	Flow meter 1x HEPA filter 1x pre-filters (pk 10).		03-890	Pre-filters (pk 10)
			03-891	PAPR Spark Arrestor
03-801-FR	PX5 PAPR Industrial Starter Pack Package also includes:	NIOSH* IP65		
	 Rechargeable battery and charging bank FR belt Flow meter 1x HEPA filter 1x spark arrestor 		03-892	HEPA Filter
03-803-FR	 1x pre-filters (pk 10). PX5 PAPR Industrial Starter Pack with Backpack 	NIOSH*	03-893	HEPA OV/AG Gas Cartridge
	 Package also includes: Rechargeable battery and charging bank FR belt with backpack assembly Flow meter 1x HEPA filter 1x spark arrestor 1x pre-filters (pk 10). 	IP65	03-894	HEPA Multi-Gas Cartridge



	Certifications
arter Pack	NIOSH* IP65
and charging bank	
J.	
ter Pack	NIOSH* IP65
and charging bank	1202
J.	
	Certifications
	NIOSH - HE
le	NIOSH - OV/SD/HC/CL/HF/CD/HE
	NIOSH - OV/SD/HC/CL/HF/
	CD/HS/AM/FM/MA/HE

PX5 PAPR A	ccessories			PX5 PAI	PR Parts				
GVS Part #		Description	Certifications						
03-852		PAPR 5 Bay Multi-Charger						13	(1)
03-822-DC	-	Back Harness Assembly - Decon/easy clea	in.			7 8			
)3-822-FR		Back Harness Assembly - FR.			6	7 8	4	14	
03-841	1	Tychem° 4000 PAPR Mulli-Gas Cover (pk	10)				9		
03-842	1	Zytec° PAPR Multi-Gas Cover (pk 10)			6	10 1 1 9 3	12	5	16
04-852	C	Tychem[®] Breathing Tube Cover Breathing tube not included.				GVS Part # / Description			GVS Part # / Description
04-854	FR Breathing Tube Cover			0	04-831 PAPR Breathing Tube	10	S	03-817 Battery Door Seal	
	Constantion of the second	Breathing tube not included.		-	$\overline{}$	04-831A PAPR Breathing Tube with Adaptor	11	Ì	03-818 Door Hinge
04-855	A SICH CARDO	Aluminized Breathing Tube Cover Breathing tube not included.				To fit T-Link and Z-Link 04-841	12	1	03-819 Flow Meter
04-856		Disposable/Decon Breathing Tube Sleeve (pk 10)	k 10)			Short PAPR Breathing Tube For backpack assembly.	13	0	03-851
		Breathing tube not included.		-	କ୍ଷ	04-843 PAPR Coupler Seal (pk 5)		~	Battery Charger
04-872		Short Tychem [®] Breathing Tube Cover		4	Ď	03-810	14		03-855 Battery
		For backpack assembly, breathing tube not included.	cluded.		Fan Housing	Fan Housing 03-811	14	4	03-856 High Capacity Battery
04-874	Contraction of the second	Short FR Breathing Tube Cover For backpack assembly, breathing tube not in	cluded.			Belt Support Mount	15		09-021
				6		03-812 Door Cover		~ 7	RPB* Power Cable Global plug.
04-875	Constant of the second se	Short Aluminized Breathing Tube Cover For backpack assembly, breathing tube not included.	cluded.	7	Ø	03-813 HEPA (P3) Filter Door	16		07-765-DC RPB" 2 Inch Belt Assembly Easy clean
				8	-	03-814 Gas Cartridge Door	16		07-765-FR RPB* 2 Inch Belt Assembly
				9	•	03-815 Battery Door Assembly Includes 03-818.			FR





Z-Link[®] Respirator Multi-purpose Respiratory Protection

The Z-Link[®] is the most versatile multi-purpose respirator on the market, designed to be resilient in harsh industrial applications, while also practical to meet the demands of healthcare and life sciences settings. The Z-Link has been created with your comfort and functionality in mind, ensuring no matter where you're working, you'll be protected for your life's best moments.

Visibility has been at the forefront of the Z-Link's design, boasting a large visor that enables you to see with exceptional downward and peripheral vision. This system also combines with a visor that hinges open so you can easily communicate with your team, as and when necessary.

Fitted with a padded headliner and head suspension system, the Z-Link's weight is evenly distributed, relieving you of aches and strains on your neck to enhance your experience of comfort. Being fully adjustable ensures the respirator fits securely to all head sizes, maximizing stability and always moving with your head. Our innovative design ensures you have a greater range of movement, so you can focus on your job at hand. The Z-Link is everything you need in a respirator.

The Z-Link is certified to the standards below:





S3.19 HEARING PROTECTION

289.1 HARD HAT PROTECTION Type 1 Class G 287+ EYE & FACE PROTECTION

ANSI



CSA Z94.3-15 EYE & FACE PROTECTION Class 7D Respirator Facepiece PROTECTION DES YEUX ET DU VISAGE Masque respiratoire classe 7D Air flow and distribution is fully adjustable with the air deflector system to suit your personal preference.

Visor hinges open for

easy communication with

team members (outside of

--

Visor shown open for marketing purposes only Do not open your visor in the work environmer

respiratory hazards). 🗖

Fixed jaw ensures secure cape attachment.

Vision-Link[™] light mount point. ■—



MADE IN THE USA

GVS North America Catalog 2023 Z-Link® Respirator

ALASDAF Trading Est E: alasdaf@al-asdaf.com T: +966 13 362 0988 www.alasdaf.com.sa



Optimum vision and high velocity impact protection with large optically-clear safety lens (replaceable spare part). Choice of 5 anti-fog and scratch resistant EN166 lenses: Premium Clear, Green Tint (Shade 5), Yellow Tint, Black Tint, and Mirror Tint.

- ANSI Z89.1 certified head protection.

-

Padded interior with adjustable ratchet system ensures a perfect customized fit that supports movement, increasing comfort and productivity.

> Three cape materials available: Tychem* 2000, Tychem* 4000 or Zytec* FR.

Z-Link+[®] Respirator Diverse Functionality

The Z-Link+[®] has been designed to give you all the freedom and comfort that you receive with the Z-Link but extends the respirator's capabilities, giving you eye protection so you can weld without the need for additional systems.

The Z-Link+ weld visor clips on directly to your main visor so you can seamlessly weld with optically clear vision, then lift up the visor to check welds and instantly begin grinding again. With the large GVS-RPB® ADF lens with a 1/1/1/2 optical quality rating, this guarantees uniform shading and distortion free vision, while allowing you to work safely and more comfortably for longer across different angles.

The Z-Link+ is certified to the standards below:





S3.19 HEARING PROTECTION Only in conjunction with 18-533 earmuff

> Z89.1 HARD HAT PROTECTION Type 1 Class G

Z87+ EYE & FACE PROTECTION

Z87W WELDING EYE PROTECTION



Certified Model Modèle certifié CSA Z94.3-15

EYE & FACE PROTECTION Class 7D Respirator Facepiece PROTECTION DES YEUX ET DU VISAGE Masque respiratoire classe 7D The Z-Link+ weld visor weighs only

13.8oz (390g) including ADF.

The weld visor can

be easily removed

for extended periods

where just grinding

is required.

Removable Welding Visor The Z-Link+ weld visor clips directly onto your main visor, enabling you to lift up your visor to check welds and to instantly begin grinding. For extended periods of grinding the visor is easily removed at the hinge points.



Large welding auto darkening filter with a 1/1/1/2 rating. Variable auto darkening lens (shades 3, 5, or 9-13). Replaceable impact and ADF lenses for ease of maintenance.

> Z-Link+ weld visor attaches directly onto to the main grinding visor, enabling you to seamlessly switch from welding to grinding while maintaining respiratory protection.

Z-Link[®] Radiant Heat Respirator

The Radiant Heat kit transforms your Z-Link[®] respirator into a complete protective system for high heat environments. Utilizing the Z-Link headtop, experience unrivaled comfort as heat is deflected away from you and air continuously circulates throughout the headtop, so you can work safer for longer.

The Radiant Heat kit features a large, gold coated visor that reflects heat off you, keeping your body temperature down, while allowing you to see all of your environment with an uncompromised field of view. With flame resistant and reflective materials this protects you from sparks and splashes while providing additional relief from the heat.

Enhance your experience of safety and productivity in high heat environments by using protection that revolutionizes the way you work, with the Z-Link Radiant Heat.

The Z-Link Radiant Heat is certified to the standards below:



S3.19 HEARING PROTECTION



Z89.1 HARD HAT PROTECTION Type 1 Class G Z87+ EYE & FACE PROTECTION



CSA Z94.3-15 EYE & FACE PROTECTION Class 7D Respirator Facepiece PROTECTION DES YEUX ET DU VISAGE Masque respiratoire classe 7D Gold coated visor reflects radiant heat, minimizing heat transfer for increased comfort while ensuring eye protection. Visor options include anti-scratch gold coated (pictured), anti-scratch IR5 gold coated, and IR5.

Large visor lift tab enables users to easily raise and lower the visor while wearing gloves.

MADE

Heat Reflection The gold coated visor reflects radiant heat away from you, minimising heat transfer

while ensuring your eyes are protected.

ALASDAF Trading Est E: alasdaf@al-asdaf.com T: +966 13 362 0988 www.alasdaf.com.sa



Air flow is dispersed throughout your breathe zone, as well as over the head, neck, and body to aid in cooling.

Integrated hard hat protection.

The Aluminized fabric is flame resistant and protects the skin from sparks, splashes and radiant heat. Manufactured from Newtex Z-Flex 0-310 Aluminized FR 0-PAN/Aramid fabric.

> Clip-on visor requires no tools for easy detachment and replacement.

> > Secured cape ensures the hood moves with you for a greater range of movement.

Aluminized breathing tube cover available to increase the life of the breathing tube.

Z-Link Headtops			Z-Link SAR Packages Ple	ase visit gvs-rpb.com for more information abou
GVS Part #	Description	Certifications	GVS Part #	Description
16-010-31	 Z-Link Respirator - Zytec° FR Chin Seal Package also includes: Safety lens. Z-Link+ weld visor with ADF available - page 24. 	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W [†] , c SEI CSA Z94.3-15	16-015-11	Z-Link Respirator with Zytec and C40" Climate Control De Package also includes: Safety lens SAR breathing tube.
16-010-12	Z-Link Respirator - Tychem* 2000 Face Seal Package also includes: Safety lens.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15	16-015-12	Z-Link Respirator with Tyche Face Seal and C40" Climate Package also includes: Safety lens SAR breathing tube.
			16-015-21	-015-21 Z-Link Respirator with Zytec Shoulder Cape and C40" Clim Package also includes: Safety lens SAR breathing tube.
16-010-11	 Z-Link Respirator - Zytec* FR Face Seal Package also includes: Safety lens. Z-Link+ weld visor with ADF available - page 24. 	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W [†] , c SEI CSA Z94.3-15	16-015-23	Z-Link Respirator with Tyche Shoulder Cape and C40° Clir Package also includes: Safety lens SAR breathing tube.
16-010-23	Z-Link Respirator - Tychem* 4000 Shoulder Cape Package also includes: Safety lens.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15	16-015-31	Z-Link Respirator with Zytec Chin Seal and C40° Climate Package also includes: Safety lens SAR breathing tube.
-19			16-071-21	Z-Link+ Respirator with Weld Shoulder Cape and Constant
16-010-21	Z-Link Respirator - Zytec° FR Shoulder Cape Package also includes:	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15		Package also includes: Safety lens SAR breathing tube.
	Safety lens. Z-Link+ weld visor with ADF available - page 24.		16-075-21	Z-Link+ Respirator with Weld Shoulder Cape and C40° Clir Package also includes: Safety lens SAR breathing tube.
16-010-24	 Z-Link Radiant Heat Respirator Package also includes: Safety lens Aluminized shoulder cape, top, rear and breathing tube cover. Lens available in three options, sold separately - page 24. 	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15	16-0061	Z-Link Radiant Heat Respirat Gold Visor and C40° Climate Package also includes: Safety lens SAR breathing tube Aluminized shoulder cap rear cover and breathing



e information about other package options available.


	Certifications
tec° FR Face Seal	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
I Device	ANSI Z87+, c SEI CSA Z94.3-15
chem" 2000	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
ate Control Device	ANSI Z87+, c SEI CSA Z94.3-15
ltec° FR	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
Climate Control Device	ANSI Z87+, c SEI CSA Z94.3-15
chem® 4000	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
Climate Control Device	ANSI Z87+, c SEI CSA Z94.3-15
tec° FR	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
ate Control Device	ANSI Z87+, c SEI CSA Z94.3-15
Veld Visor, Zytec° FR	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
ant Flow Valve	ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
Veld Visor, Zytec° FR	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
Climate Control Device	ANSI Z87+, ANSI Z87W [†] , c SEI CSA Z94.3-15
pirator with	NIOSH SAR Type C, ANSI S3.19°, ANSI Z89.1,
nate Control Device	ANSI Z87+, c SEI CSA Z94.3-15

nized shoulder cape, lop cover, over and breathing lube cover.

Z-Link PAPR Packages Please visit gvs-rpb.com for more information about other package options available.

GVS Part #	Description	Certifications
16-0011	 Z-Link Respirator with Zytec* FR Face Seal and PX5* PAPR with OV/AG/HE Cartridge Package also includes: Safety lens PAPR breathing tube. 	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-0012	 Z-Link Respirator with Zytec° FR Shoulder Cape and PX5° PAPR with OV/AG/HE Cartridge Package also includes: Safety lens PAPR breathing tube. 	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-0021	 Z-Link+ Respirator with Weld Visor, Zytec° FR Shoulder Cape and PX5° PAPR with Multi-gas Cartridge Package also includes: Safety lens PAPR breathing tube. 	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
16-0028	 Z-Link Respirator with Tychem* 4000 Shoulder Cape and PX5* PAPR with Multi-gas Cartridge Package also includes: Safety lens PAPR breathing tube. 	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-11-FR	Z-Link Respirator with Zytec" FR Face Seal and PX5" PAPR Package also includes: Safety lens PAPR breathing tube.	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-12	Z-Link Respirator with Tychem [*] 4000 Face Seal and PX5 [*] PAPR Package also includes: Safety lens PAPR breathing tube.	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
16-018-21-FR	Z-Link Respirator with Zytec° FR Shoulder Cape and PX5° PAPR Package also includes: Safety lens PAPR breathing tube.	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15







	Certifications
ichem° 4000 PAPR 9.	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
pirator ° PAPR cape, top, be cover.	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
ytec° FR R 2.	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, c SEI CSA Z94.3-15
Weld Visor, Zyłec* PAPR 2.	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z89.1, ANSI Z87+, ANSI Z87W†, c SEI CSA Z94.3-15
Neld Visor, Zyłec° X5° PAPR	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z89.1, ANSI Z87+, ANSI Z87W [†] , c SEI CSA Z94.3-15

Z-Link[®] Respirator Multi-purpose Respiratory Protection

Z-Link Acces	ssories			Z-Link Consumables	
GVS Part #		Description	Certifications	GVS Part #	Description
04-852	Constant of the local division of the local	Tychem[*] Breathing Tube Cover Breathing tube not included.		04-831	PAPR Breathing Tube
04-854	Com	FR Breathing Tube Cover Breathing tube not included.		04-833	SAR Breathing Tube
04-855	Corres	Aluminized Breathing Tube Cover Breathing tube not included.		04-833A	SAR Breathing Tube with Ada To fit Z-Link and T-Link.
04-856	0	Disposable/Decon Breathing Tube Sleeve (pk 10) Breathing tube not included.		04-841	Short Breathing Tube For backpack assembly.
04.070				13-072-(1, 1.5, 2 or 2.5)	Ultra Magnifying Lens Available in 1.0, 1.5, 2.0 and 2.5
04-872	Contra la contra	Short Tychem [®] Breathing Tube Cover For backpack assembly, breathing tube not included.		16-526	Head Band Brow Pad
04-874	5	Short FR Breathing Tube Cover For backpack assembly, breathing tube not included.		16-675-GT	Radiant Heat Gold Visor - Cle Includes Cover Clip and Retaine
04-875	Constant of the local division of the local	Short Aluminized Breathing Tube Cover For backpack assembly, breathing tube not included.		16-675-GTIR5	Radiant Heat Gold Visor - IRS Includes Cover Clip and Retaine
16-512	*****	Heat Resistant Velcro Fastener Kit		16-675-IR5	IR5 Visor - Replacement Includes Cover Clip and Retaine
16-520-S	28	Comfort-Fit Side Padding System		16-810	Safety Lens - Clear Anti-fog/anti scratch.
18-533	%	Quiet-Link [™] Helmet Mounted Earmuffs Includes 18-535 suspension bracket.	ANSI S3.19	16-810-IR5	Safety Lens - IR Tint, Shade ! Anti scratch.
16-670		Z-Link+* Weld Visor Includes 1/1/1/2 ADF Lens.	ANSI Z87W	16-810-MT	Safety Lens - Mirror Tint Anti-fog/anti scratch.
16-676	\$	Z-Link+° Weld Visor with Fixed Lens Frame Includes 16-674, 16-877 and 16-672, ADF lens not included.		16-810-ST	Safety Lens - Smoke Tint Anti-fog/anti scratch.
16-724	Q.	Aluminized Shoulder Cape		16-810-YT	Safety Lens - Yellow Tint Anti-fog/anti scratch.
16-744	-	Aluminized Top Cover		16-811	Tear-Off Lens (pk 50)
16-754	-	Aluminized Rear Cover		16-817	Cassette Lens for Z-Link (pk 1 7 layers.
16-901	1	Vision-Link [™] Helmet Light Kit* Includes 09-510-RAW, 16-918 and 15-839.		16-872	Welding ADF/Fixed Shade Im
16-922	9	Comms-Link [™] In-Helmet Communication System* (Non IS) - Includes 16-529 and 09-913. Radio adaptor sold separately - contact GVS-RPB for more information.		16-872-AL	Welding ADF Impact Lens– A Radiant heat.
18-535	249	Quiet-Link [™] Suspension Brackets		16-873	Welding ADF Rear Lens (pk 1



	Certifications
Adaptor	
2.5.	
Clear - Replacement niner Assembly.	ANSI Z87+
IR5 - Replacement	ANSI Z87+
niner Assembly.	
	ANSI Z87+
iiner Assembly.	
	ANSI Z87+
de 5	ANSI Z87+
	ANSI Z87+
	ANSI 207+
	ANSI Z87+
	ANSI Z87+
-1-40)	
pk 10)	
e Impact Lens (pk 10)	
– Aluminium Coated	
ok 10)	

Z-Link Consumables

GVS Part #	Description	Certifications
16-874	Protective Lens for Aluminium Coater Impact Lens (pk 10)	1
16-877	110x90 Fixed Shade Welding Lens A	Japtor Frame
16-877-(5, 8, 9, 10, 11 or 12)	Fixed Shade Welding Lens Available in shades 5, 8, 9, 10, 11 and 12.	
16-878	Welding Fixed Shade Rear Lens (pk 1	0)

Comms-Link[™] Parts Available for Z-Link[®], T-Link[®] and Z4[®]

GVS Part #	Description	Certifications
09-913	Push to Talk Button	
16-529	Communication Retainer Clip	
09-930	Motorola Connection Cable - Two-pin.	
09-931 -	Motorola Connection Cable - Multi-pin.	
09-932	Motorola Connection Cable - Multi-pin.	
09-933	Kenwood Connection Cable - Two-pin.	
09-934	Motorola Connection Cable - Multi-pin.	
09-935	Motorola Connection Cable - Single-pir	

GVS Part #	Description
09-050	Two Bay Battery Charg
09-055	Lithium Ion Battery
15-839	Jaw Mount - for Z-Link, Screw not included.
16-910	LED Light Body Assemt Battery and charger not in
16-913	Rear Cowling
16-915	Cowling Seal
16-916	Protective Lens
16-917	Latch
16-918	Jaw Mount - for T-Link Includes screw.
16-919	QR Latch Lever
16-923	Hinge Pin
16-926	Latch Lever Assembly Includes 16-919,

Vision-Link[™] Light (#16-910)

The Vision-Link light securely mounts to the chin of the Z-Link, illuminating your immediate workspace.




Certifications
4
J
uded.
000
C C C C C C C C C C C C C C C C C C C

Z-Link[®] Respirator Multi-purpose Respiratory Protection

Z-Link Parts

A



GVS Part # / Description

0	16-514 Jaw Assembly - Includes screws and 16-515.
² ()	16-515 Lens Seal - For jaw assembly.
•	16-516 Quiet-Link [™] Earmuff Bracket - Pair, includes screws.
-	16-518 Rear Cape Clip
J.	16-519 Air Inlet Adapter
5 🛷	16-520-S Comfort-Fit Side Padding System
⁶	16-520-T Fit System
7	16-521 Impact Absorber
8 袭	16-522 Comfort Pad
-	16-523 Air Director
9	16-525 Head Harness Bracket and Air Director
10	16-527 Comfort-Fit Side Padding Frames
11	16-528 Comfort-Fit Foam Pads - Pair.
12	16-530 Head Harness Ratchet Assembly
13 6	16-531 Head Harness Assembly - Includes 16-530.

14 16-611 Visor 15 16-616 Pivot Assembly 16 16-671 Z-Link+* Weld Visor - ADF lens not included. 17 16-672 Welding Lens Retainer 16-673 Z-Link+° Weld Visor Attachment Clips and Springs 43 **16-711** Zytec° FR Face Seal **16-712** Tychem° 2000 Face Seal **16-721** Zytec° FR Shoulder Cape 16-723 Tychem[®] 4000 Shoulder Cape 16-724 Aluminized Shoulder Cape 16-731 Zytec[®] FR Chin Seal 16-871 RPB* ADF - ANSI Z87w, 1/1/1/2, CSA Z94.3-15. 23 24 16-875 Magnifying Lens Holder Assembly 16-876 Clip for Weld Lens





Z4[®] Respirator Powerful Protection

With comfort and durability the top priority, GVS-RPB® has created the most ergonomically balanced welding respirator available. Its lightweight design and multi-adjustment head suspension system ensures a stable fit that moves with you, reducing aches and strains on your neck, allowing you to enjoy life's best moments.

The Z4[®] boasts an optically clear grinding visor and a flip-up welding visor designed to increase operator productivity. Visibility is further enhanced by clip-in shade 5 side windows offering maximum peripheral vision. These can also be switched out for window blockers which are included in the standard package.

The Z4 includes the large GVS-RPB ADF lens with 1/1/1/2 optical quality rating guaranteeing uniform shading and distortion free vision, allowing you to work safely and more comfortably for longer across different angles.

To further increase your comfort and stability, the Z4 can also be fitted with the Comfort-Link[™] padding system for an individualized fit.

ANSI

The Z4 is certified to the standards below:





S3.19 HEARING PROTECTION Z87+ EYE & FACE PROTECTION Z87W WELDING EYE PROTECTION



Class 7D and 7B Respirator Facepiece PROTECTION DES YEUX ET DU VISAGE Masque respiratoire classe 7D et 7B

Optimum vision with a clear replaceable ANSI Z87+ certified grinding lens. 🔲 –

Flip up welding visor

during grinding, while maintaining respiratory

protection.

Lightweight headtop weighing just 805g with ADF and cape.

Aerodynamic shell design deflects fumes away.



Dual Air Distribution System

Air is delivered through the dual air distribution system, flowing over the grinding visor to eliminate lens fogging and also to the the incoming air to suit your preferences.



- Large auto darkening welding lens with a 1/1/1/2 rating. Variable lens shade (9-13).

> Replaceable impact and ADF lenses for ease of maintenance. Optional magnifying lens available.

Comfortable multi-adjustment head suspension system - ergonomically balanced to reduce fatigue.

> - The dual air distribution system delivers 75% of air supply to your breathe zone via a multi-directional outlet. The remaining 25% is directed over the grinding visor to prevent fogging.

> > FR rated head cover and cape.

GVS Part #	Description	Certifications	
15-010-11	 Z4 Respirator - FR Face Seal Package also includes: 1/1/1/2 ADF lens Slim-Line ear defenders. 	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15	
15-010-21	 Z4 Respirator - FR Shoulder Cape Package also includes: 1/1/1/2 ADF lens Slim-Line ear defenders. 	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15	
15-110-21	 Z4 Respirator with FR Shoulder Cape Package also includes: 1/1/1/2 ADF lens Slim-Line ear defenders Bump cap. 	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15	

Z4 SAR Packages Please visit gvs-rpb.com for more information about other package options available.

GVS Part #	Description	Certifications
15-015-11	Z4 Respirator with FR Face Seal and C40" Climate Control Device Package also includes: 1/1/1/2 ADF lens SAR breathing tube Slim-Line ear defenders.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15
15-015-21	Z4 Respirator with FR Shoulder Cape and C40" Climate Control Device Package also includes: 1/1/1/2 ADF lens SAR breathing tube Slim-Line ear defenders.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15

Z4 PAPR Packages Please visit gvs-rpb.com for more information about other package options available.





	Certifications
ce Seal	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15
ers.	
c e Seal : kpack Assembly ers.	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15
ce Seal ers.	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15
oulder Cape ers.	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15
oulder Cape, Bump Cap, ers.	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15
oulder Cape ti-gas Filter	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z87+, ANSI Z87W, c SEI CSA Z94.3-15

Z4 Accessories			
GVS Part #	Description	Certifications	
04-854	FR Breathing Tube Cover Breathing tube not included.		
04-874	Short FR Breathing Tube Cover For backpack assembly, breathing tube	e not included.	
15-821-5	Side Window Blockers - Shade 5 - P	Pair.	
15-848	Comfort-Fit Side Padding System Includes Velcro [®] pieces.		
15-850	Bump Cap Includes Comfort and Brow Pad and Fr	ront Strap.	
15-855	Bump Cap Includes Comfort Pad.		
16-901	Vision-Link [™] Helmet Light Kit [*] Includes 09-510-RAW, 16-918 and 15-8	839.	
16-922	Comms-Link [™] In-Helmet Communic (Non IS) - Includes 16-529 and 09-913 sold separately - contact GVS-RPB for	3. Radio adaptor	
18-524	Slim-Line Ear Defenders	ANSI S3.19	
18-600	RPB° Carry Bag		

Z4 Consumabl	es	
GVS Part #		Description
04-831	9	PAPR Breathing Tube
04-833	0	SAR Breathing Tube
04-841	5	Short Breathing Tube - for Backpack Assembly.
13-072-(1, 1.5, 2 or 2.5)	$\langle \rangle$	Ultra Magnifying Lens Available in 1.0, 1.5, 2.0 and
15-878		Safety Lens (pk 10)
16-526	Many	Head Band Brow Pad
16-872		Welding ADF/Fixed Shade
16-873		Welding ADF Rear Lens (p
16-874	\diamond	Protective Lens for ADF In – Aluminium Coated (pk 10
16-878		Welding Fixed Shade Rea




Certifications		
2.5.		
ANSI Z87+		
e Impact Lens (pk 10)		
ok 10)		
npact Lens D)		
0)		

ar Lens (pk 10)

Z4[®] Respirator Powerful Protection

Z4 Parts



		GVS Part # / Description	
1	er.	15-148 Side Pad Mounts Pair, includes Velcro™ pieces.	11
-	5	15-711 FR Face Seal	12
-	4	15-721 FR Shoulder Cape	13
4	0	15-811 Face Shield	
5		15-812 Weld Visor Assembly Includes 16-672 and 15-821.	
6		15-821 Side Window Blockers - Pair, solid gray.	GI
-	5 :-	15-822 Spring Assembly Kit	16
8		15-830 Head Harness Bracket	17
9	N	and Adjustment System 15-831 Front Cape Clip Cover	18
-	00	15-832 Safety Lens Bayonet <i>- Pair.</i>	19

	GVS Part # / Description
8	15-839 Vision-Link [™] Jaw Mount Screw not included.
	15-840 Head Harness Assembly Includes 16-530 and 15-848.
6	15-842 Harness Mount - Pair.
1	15-851-1 Air Intake Assembly Includes screws.
~	16-528 Foam Side Pads - Pair.
	16-530 Head Harness Ratchet Assembly
0	16-672 Welding Lens Retainer
	16-871 RPB* Auto Darkening Filter (ADF) - 1/1/1/2.
log	16-875 Magnifying Lens Holder Assembly





T-Link[®] Respirator Move Freely

The T-Link[®] has been designed to move with you, not against you. With your comfort and job our main focus, the T-Link transforms how you work, advancing your safety and increasing productivity.

Your ability to see has been at the forefront of our design process, with the T-Link boasting a large visor that enables you to easily connect with your surroundings. This is further supported by the Tychem[®] hood that securely attaches to the headtop, ensuring your downward and peripheral vision is never compromised. The soft breathable inner-bib and extra tuck-in collar ensures maximized comfort and helps to direct air down your body for cooling.

Fitted with a padded headliner and head suspension system, the headtop's weight is evenly distributed to enhance your experience of comfort, relieving you of aches and strains on your neck. Being fully adjustable ensures the respirator fits securely to all head sizes, maximizing stability and always moving with your head. Our innovative design ensures you have a greater range of movement, so you can focus on the task at hand.

The T-Link is certified to the standards below:

NIOSH A P P R O V E D PAPR & SAR TYPE C



HARD HAT PROTECTION Type 1 Class C lot all configurations conform to this standard. Please visit robustely.com for more details. Z87 EVE & EACR PROTECTION

EYE & FACE PROTECTION lot all configurations conform to this standard. Please visit gvs-rpb.com for more details. Option of bump cap or ANSI Z89.1 certified hard hat protection.

Padded headliner supports weight distribution while relieving you of the effects of any pressure points.

Air flow and distribution is fully adjustable with the air deflector system to suit personal preference.

Optional ANSI Z87 certified safety lens.

Large viewing window for exceptional downward and peripheral vision.

Fixed lens frame ensures the lens will never hit your nose or optical aids being used.

Optically clear peel-off and cassette lenses available.



Optional Comfort-Link™ Fit System

The Comfort-Link[™] is an optional, fully-adjustable fit system that allows total control of helmet and head placement as well as making sure the T-Link moves with your head.



■ Two cape materials available: DuPont[™] Tychem^{*} 2000, DuPont[™] Tychem^{*} 4000.

Breathing tube easily attaches to the respirator and swivels to eliminate tangles. Centralized location ensures even weight distribution.

> Adjustable ratchet system ensures a customized fit that supports movement, while increasing comfort and productivity.

Soft, breathable innerbib and long tuck-in collar for extra protection and upper body air flow.

T-Link[®] Respirator Move Freely

GVS Part #	Description	Certifications
17-110-12	T-Link Respirator - Tychem® 2000 Hood Package also includes: ■ Bump cap assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19°, ANSI Z87†
7-010-12	T-Link Respirator - Tychem® 2000 Hood Package also includes: Hard hat assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19°, ANSI Z89.1†, ANSI Z87†
17-010-13	T-Link Respirator - Tychem [®] 4000 Hood with Sealed Seams Package also includes: Hard hat assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19°, ANSI Z89.1°, ANSI Z87°

T-Link SAR Packages Please visit gvs-rpb.com for more information about other package options available.

GVS Part #	Description	Certifications
17-015-12	T-Link Respirator with Tychem [*] 2000 Hood and C40 ^{**} Climate Control Device Package also includes: Hard hat assembly SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19*, ANSI Z89.1†, ANSI Z87†
17-015-13	 T-Link Respirator with Tychem^a 4000 Hood with Sealed Seams and C40^a Climate Control Device Package also includes: Hard hat assembly SAR breathing tube. 	NIOSH SAR Type C, ANSI S3.19°, ANSI Z87†
17-111-12	T-Link Respirator with Tychem [®] 2000 Hood and Constant Flow Valve Package also includes: Bump cap assembly SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19°, ANSI Z87†
17-115-12	T-Link Respirator with Tychem [*] 2000 Hood and C40 [*] Climate Control Device Package also includes: Bump cap assembly SAR breathing tube.	NIOSH SAR Type C, ANSI S3.19°, ANSI Z87†

GVS Part #	Description	Certifications
17-118-12	T-Link Respirator with Tychem [•] 2000 Hood and PX5 [•] PAPR Package also includes: Bump cap assembly PAPR breathing tube.	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z87
17-118-13	 T-Link Respirator with Tychem[•] 4000 Hood with Sealed Seams and PX5[•] PAPR Package also includes: Bump cap assembly PAPR breathing tube. 	NIOSH PAPR Type C, ANSI S3.19*, ANSI Z87
T-Link Accessories		
GVS Part #	Description	Certifications
04-852	Tychem [®] Breathing Tube Cover Breathing tube not included.	
04-856	Disposable/Decon Breathing Tube Sleeve (pk 10) Breathing tube not included.	
04-872	Short Tychem® Breathing Tube Cover For backpack assembly, breathing tube not included.	
16-520-S	Comfort-Fit Side Padding System	
16-901	Vision-Link [™] Helmet Light Kit* Includes 09-510-RAW, 16-918 and 15-839.	
16-922	Comms-Link [™] In-Helmet Communication System [*] (Non IS) - Includes 16-529 and 09-913. Radio adaptor sold separately - contact GVS-RPB for more information.	
18-533	Quiet-Link [™] Helmet Mounted Earmuffs Includes 18-535 suspension bracket.	ANSI S3.19
18-535	Quiet-Link [™] Suspension Bracket	
18-600	RPB° Carry Bag	

*Only in conjunction with #18-533 earmuffs. [†]Not all configurations conform to this standard. Please visit gvs-rpb.com for more details.



T-Link[®] Respirator Move Freely

T-Link Consumables			T-Link Parts	
GVS Part #	Description	Certifications		
04-831	PAPR Breathing Tube			
04-833	SAR Breathing Tube			
04-841	Short Breathing Tube For Backpack Assembly.		6	
16-526	Head Band Brow Pad			
17-712	Tychem* 2000 Hood Replacement hood.		1 17-512	art # / Description 1ount Clips - Pair.
17-713	Tychem[*] 4000 Hood with Sealed Seams Replacement hood.		2 16-514 Jaw A Include	ssembly s screws and 16-515.
17-713-SX	Tychem [®] 4000 Extra Length Hood with Sealed Seams, Safety Lens and Waist Straps Replacement hood.			_ink [™] Earmuff Bracket cludes screws.
17-815	Peel-off Lens (pk 25)		4 16-519 Air Inte	et Adapter
17-817	Clear Vision Cassette Lens (pk 10) 7 layers.		5 16-520 Comfo	D-S rt-Fit Side Padding System




16-520-T Fit System



16-521 Impact Absorber





The T200[™] enables you to work in your environment free of respiratory hazards and discomfort through its supportive design. With positive pressure breathing and true freedom of movement, the T200 ensures you can navigate your surroundings without any restrictions so you can focus on what's in front of you.

Made for customization, the T200's head harness features multiple adjustment points, allowing you to change the fitting to suit the contours and shape of your head. Through the secure fit and streamlined framework, this maximizes stability, relieving you of aches and strains on your neck.

With the large clear visor, experience an uncompromised field of view that allows for greater precision and attention. The T200 also features adjustable lens and air ducting positioning to accommodate for different facial features and the use of optical aids such as loupes and prescription lens glasses.

Get more out of your role by using respiratory protection that supports, not restricts you. Experience more with GVS-RPB®.

The T200 is certified to the standards below:

NIOSH APPROVED PAPR & SAR TYPE C



Z87 EYE & FACE PROTECTION

Soft inner neck seal for extra comfort. 🗖

Moveable lens and

airduct positioning

to accommodate for

and optical aids. 📕

Deconable head

suspension system

and disposable hood. 📃

Large viewing window

for exceptional

downward and

peripheral vision

allowing for both

verbal and non-verbal communication.

different facial features

DuPont[™] Tychem[®] 2000 available in face seal, medium length and full length hood options. Full length hood also available in DuPonl™ Tychem[®] 4000. 📕

Customizable Layout Customize the internal layout with four adjustable head harness points and the moveable lens and air duct system to suit your needs.






- Customizable head suspension system includes an adjustable ratchet at the back and over-the-head straps to allow for a secure, individualized fit.


> Breathing tube easily attaches to respirator and swivels to eliminate tangles. Centralized location ensures even weight distribution.

GVS Part #	Description	Certifications
17-200-22	T200 Respirator - Tychem® 2000 Face Seal Package also includes: ■ Head harness assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87†
17-210-22	T200 Respirator - Tychem [®] 2000 Face Seal Package also includes: Bump Cap assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87†
17-200-32	T200 Respirator - Tychem [®] 2000 Shoulder Length Hood with Face Seal Package also includes: Head harness assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87†
7-210-32	T200 Respirator - Tychem [*] 2000 Shoulder Length Hood with Face Seal Package also includes: Bump Cap assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87†
7-200-12	T200 Respirator - Tychem° 2000 Hood Package also includes: Head harness assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87†
17-210-12	T200 Respirator - Tychem® 2000 Hood Package also includes: Bump Cap assembly.	NIOSH PAPR & SAR Type C, ANSI S3.19*, ANSI Z87†

T200 SAR Packages Please visit gvs-rpb.com for more information abo



T200 PAPR Packages Please visit gvs-rpb.com for more information ab





out other package (options avail	able.
---------------------	---------------	-------

ut other package options available.	
	Certifications
em® 2000 alve Iy	NIOSH SAR Type C, ANSI S3.19°, ANSI Z87†
em® 2000 n Face Seal Device Iy	NIOSH SAR Type C, ANSI S3.19*, ANSI Z87†
pout other package options available	9.
	Certifications
em® 2000 Hood G/HE Cartridge ly	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z87†
em® 2000 Face Seal G/HE Cartridge ly	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z87†
em® 2000 Այ	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z87†
em® 2000 Shoulder al and PX5® PAPR ly	NIOSH PAPR Type C, ANSI S3.19°, ANSI Z87†

T200 Accessories

GVS Part #		Description	Certifications	T200 Parts	
04-852		Tychem [*] Breathing Tube Cover Breathing tube not included.			
04-856	5	Disposable/Decon Breathing Tube Sleeve (pk 10) Breathing tube not included.		6	
04-872		Short Tychem [®] Breathing Tube Cover For backpack assembly, breathing tube not included.		Raise	
15-850		Bump Cap Includes Comfort and Brow Pad and Front Strap.			222
15-855	@#	Bump Cap Includes Comfort Pad.		3	
18-524	<u>A</u>	Slim-Line Ear Defenders	ANSI S3.19	(CC-)	
18-600	Ća.	RPB [®] Carry Bag			

T200 Consumables

1200 00113011130100			
GVS Part #	Description	Certifications	
04-831	PAPR Breathing Tube		
04-833 04-841	SAR Breathing Tube		
04-841	Short Breathing Tube For Backpack Assembly.		
16-526	Head Band Brow Pad		
17-712	Tychem [*] 2000 Hood with Neck Seal Replacement hood.		
17-713	Tychem[*] 4000 Hood with Sealed Seams Replacement hood.		
17-722	Tychem* 2000 Face Seal Replacement hood.		
17-732	Tychem* 2000 Hood with Face Seal Replacement hood.		
17-811	Clear Vision Cassette Lens (pk 10) 7 layers, for face seal hoods.		
17-815	Tear-off Lens (pk 25) For full length hoods.		
17-817	Clear Vision Cassette Lens (pk 10) 7 layers, for full length hoods.		





1


2

Bump Cap - Includes Comfort and Brow Pad and Front Strap.



15-855 Bump Cap Includes Comfort Pad.





GVS Part # / Description



15-870 Head Harness Assembly with Air Duct and Lens Mount Clips

16-530 Head Harness Ratchet Assembly

16-526 Head Band Brow Pad

17-513 Lens Mounts - Pair.

Nova 3[®] Respirator Unrivaled Comfort

The Nova 3° revolutionizes the abrasive blasting experience with the world's most comfortable blasting respirator. With breakthrough technology and comfort, the Nova 3 has been designed around the operator's needs to advance their safety and productivity.

Visibility has been at the forefront of the Nova 3 design process. With the unique cassette lens system, you can experience an optically clear field of view at all times. The superior operating window optimizes peripheral vision and allows for 30% more downward vision than other respirators on the market.

The ratchet padding system provides a customizable fit and molded side pads absorb sound, protecting against hearing loss. Its unique helmet design distributes weight evenly across your head and shoulders, keeping the center of gravity low, eliminating top heaviness, and relieving you from aches and strains on your neck.

All parts are field replaceable to minimize downtime and the padding system is machine washable for hygiene purposes.

The Nova 3 is certified to the standards below:

NIOSH A P P R O V E D SAR TYPE CE / PAPR TYPE C



Bellow seal creates a complete barrier to dust and particulates.

Widened perspective provides optimal downward and peripheral field of view.

Tear-off lens system to ensure you always have a clear visor when operating. Cassette lens system available to further increase productivity.

MADE IN THE USA

Boost Productivity Our cassette lens system enables you easily tear-off the outer lens when your view becomes obstructed, significantly reducing your downtime.

Nova 3° shown with optional L4™ light.

umum



Streamlined air deflection system distributes air across your breathe zone and across the lens to prevent fogging.

Tough helmet shell, manufactured from robust engineering grade nylon offers ANSI Z89.1 certified hard hat protection.

> Ratchet system and adjustable moulded side pads to help create a secure, customized fit.

Large, glove sized latch that is easy to locate and use.

> Removable visor for efficient lens replacement.

Cape is securely attached with eight snap fasteners.

Nova 3 SAR Packages			Nova 3 Accessories	
GVS Part #	Description	Certifications	GVS Part #	Description
NV3-702-50	Nova 3 Blast Respirator - Flow Control Valve	NIOSH SAR Type CE,	03-501	C40 [™] Climate Control Device
	Package also includes: Flow control valve 	ANSI Z89.1, ANSI Z87+	07-701	RPB [®] Leather Gloves
	Nylon capeSAR breathing tube.		07-755-S	RPB [®] Heavy Duty Blast Suit - Small
			07-755-M	RPB [®] Heavy Duty Blast Suit - Mediu
- And and a second s			07-755-L	RPB [®] Heavy Duty Blast Suit - Large
V3-703-50	Nova 3 Blast Respirator - Cold Air Tube	NIOSH SAR Type CE,	07-755-XL	RPB [®] Heavy Duty Blast Suit - X Larg
	Package also includes: Cold air tube assembly	ANSI Z89.1, ANSI Z87+	07-755-XXL	${\sf RPB}^{\circ}$ Heavy Duty Blast Suit - XX La
	Nylon capeSAR breathing tube.		07-755-XXXL	RPB^{\otimes} Heavy Duty Blast Suit - XXX L
			07-755-XXXXL	RPB [®] Heavy Duty Blast Suit - XXXX
			07-761	RPB [®] Knee Pads - Pair.
NV3-704-50	Nova 3 Blast Respirator - Hot Air Tube Package also includes:	NIOSH SAR Type CE, ANSI Z89.1, ANSI Z87+	09-502	L4 [™] Blast Light Assembly [*] US power connections.
	Hot air tube assembly		09-903	Nova 3 [®] Talk [™] In-Helmet Communic
	Nylon capeSAR breathing tube.			Radio adaptor sold separately.
V3-705-50	SAR breathing tube.	NIOSH SAR Tupe CE.	Nova 3 Consumables	Radio adaptor sold separately.
V3-705-50		NIOSH SAR Type CE, ANSI Z89.1, ANSI Z87+	Nova 3 Consumables GVS Part #	Radio adaptor sold separately.
NV3-705-50	SAR breathing tube. Nova 3 Blast Respirator - C40 Climate Control Device Package also includes:			
V3-705-50	 SAR breathing tube. Nova 3 Blast Respirator - C40 Climate Control Device Package also includes: C40" Climate Control Device Nylon cape 		GVS Part #	Description
N3-705-50	 SAR breathing tube. Nova 3 Blast Respirator - C40 Climate Control Device Package also includes: C40" Climate Control Device Nylon cape 		GVS Part #	Description SAR Breathing Tube
	 SAR breathing tube. Nova 3 Blast Respirator - C40 Climate Control Device Package also includes: C40" Climate Control Device Nylon cape 		GVS Part # NV2021B NV3-722	Description SAR Breathing Tube Inner Lens (pk 10)
Heavy Duty Blast Suit Made from heavy duty nylon	 SAR breathing tube. Nova 3 Blast Respirator - C40 Climate Control Device Package also includes: C40° Climate Control Device Nylon cape SAR breathing tube. and available in a range of sizes, the blast		GVS Part # NV2021B NV3-722 NV3-722-T	Description SAR Breathing Tube Inner Lens (pk 10) Inner Lens - Tinted (pk 10)
Heavy Duty Blast Suit Made from heavy duty nylon	 SAR breathing tube. Nova 3 Blast Respirator - C40 Climate Control Device Package also includes: C40° Climate Control Device Nylon cape SAR breathing tube. and available in a range of sizes, the blast rotection for the front of your body and arms, 		GVS Part # NV2021B NV3-722 NV3-722-T NV3-724	Description SAR Breathing Tube Inner Lens (pk 10) Inner Lens - Tinted (pk 10) Outer Lens (pk 50)



Certifications
NIOSH*

unication Upgrade Kit*

	Certifications
	ANSI Z87+
	ANSI Z87+
	ANSI Z87+
ar-offs and 1x outer lens.	


Nova 3° Respirator Unrivalled Comfort

Nova Talk™ Parts

GVS Part #		Description	Certifications
09-913	Ø	Push to Talk Button	
09-916	5	R-Tex High Noise Headset Includes PTT, radio not supplied.	
09-930	4	Motorola Connection Cable - Two-pin.	
09-931	4	Motorola Connection Cable - Multi-pin.	
09-932	6	Motorola Connection Cable - Multi-pin.	
09-933	0	Kenwood Connection Cable - Two-pin.	
09-934	3	Motorola Connection Cable - Multi-pin.	
09-938	0	Cable for VX-261	
09-939	Z	Cable for Apex Icom IC-F4002	
NV3-733TK	-	Nova 3 Talk [™] Side Padding Covers 5 pairs.	

L4™ Light Parts


GVS Part #		Description	Certifications
07-122	0	Cable and Hose Clamp	
09-021	~	Power Cable - US.	
09-512	10	L4" Light and Mount Kit Includes 09-520.	
09-520	~	Mounting Clip	
09-522		Outer Lens (pk 10)	
09-525	13	Battery Charger Power Cable not included.	
09-526	133	Battery Charger and Power Cable	
09-532-2		Battery Pack	



Nova 3 Parts



	11	9	
2-16	17		
		GVS Part # / Description	
	14	NV3-734 Head Liner Kit - Includes NV3-734-1.	
	15	NV3-734-1 Head Liner Clips (pk 4)	
	16	NV3-735 Head Liner Foam Padding	
	17	NV3-735-1 Neck Pad	
	18	NV3-736- (A05, A10, A15 or A20) / Hygiene Kit - Available in 5mm, 10mm, 15mm or 20mm.	
		NV3-750 Nylon Respirator Cape [*]	
	-	NV3-751 Nylon Respirator Cape - Extra Length*	
	- 🐥	NV3-752 Leather Respirator Cape"	
	-	NV3-753-HD Leather Respirator Cape - Extra Length, Heavy Duty [*]	
		NV3-754 Blast Jacket, Size XL'	
•	-	NV3-755 Blast Jacket, Size XXL [*]	
•	0	NV3-759 Cape Cover Band respirators@gvs.com	53






Certifications
tlet
ge
d gauge
itlet
ge
gulator and gauge
_
itlet
ge
gulator and gauge
plete Breathing
Monitor
ridge
gulator and gauge
et.
Certifications

Radex[®] Airline Filter Superior Filtration

Radex Airline Filter Parts








The GX4° Gas Monitor detects up to four gases simultaneously, alerting the user when there are hazardous gases present near the supplied air source. All data and logs can be accessed in real time.







GVS Part #	Description
08-231	Wall Bracket
08-424	Heavy Duty Field Case
08-427	Heavy Duty Field Case Includes Battery and Charger.
08-434	Auxiliary Cable 50ft with Ba
08-435	Strobe Light with 50ft Cable
08-436	Auxiliary Strobe & Alarm To




Certifications

Certifications
rbon Monoxide
rbon Monoxide
jdrogen Sulphide
rygen
Certifications
£7.
Bare End
ble
Tower with 50ft Cable

GX4° Gas Monitor Hazardous Gas Detection

GX4 Gas Monitor Parts



08-450 Calibration Adapter

09-021 Power Cable



9



Supplied Air Flow Control Devices

Control Your Environment





	Certifications
	NIOSH"
Low Pressure	NIOSH*
ce	NIOSH'
ce - FR	NIOSH*
ce - RZ	NIOSH'
ce - Schrader	NIOSH*
	NIOSH*
read	NIOSH"
đ	NIOSH*
	NIOSH*
	NIOSH*

Certifications
nd Astro™.
Cover
e Cover
ing Tube Sleeve (pk 10)

Supplied Airlines		
GVS Part #	Description	Certifications
NV2028	RPB[°] 25' Breathing Air Supply Hose 3/8" Diameter Quick Release Fittings.	NIOSH
NV2029	RPB[•] 50' Breathing Airline Hose 3/8" Diameter Quick Release Fittings.	NIOSH
NV2027	RPB[•] 100' Breathing Airline Hose 3/8" Diameter Quick Release Fittings.	NIOSH
04-352-25-RZ	RPB[*] 25' Breathing Air Supply Hose 3/8" Diameter RZ Fittings.	NIOSH
04-352-50-RZ	RPB[•] 50' Breathing Airline Hose 3/8" Diameter RZ Fittings.	NIOSH
04-352-100-RZ	RPB[•] 100' Breathing Airline Hose 3/8" Diameter RZ Fittings.	NIOSH
04-342-25	RPB[•] 25' Breathing Air Supply Hose 3/8" Diameter Schrader Fittings.	NIOSH
04-342-50	RPB[•] 50' Breathing Airline Hose 3/8" Diameter Schrader Fittings.	NIOSH
04-342-100	RPB[•] 100' Breathing Airline Hose 3/8" Diameter Schrader Fittings.	NIOSH
NV2035	RPB[*] 50' Breathing Air Supply Hose 1/2" Diameter Quick Release Fittings.	NIOSH
NV2036	RPB[•] 100' Breathing Airline Hose 1/2" Diameter Quick Release Fittings.	NIOSH
04-412-15	RPB° 15' Recoil Breathing Air Supply Hose 3/8" Diameter - Standard Coupler.	NIOSH
04-412-25	RPB° 25′ Recoil Breathing Airline Hose 3/8″ Diameter - Standard Coupler.	NIOSH


Supplied Air Flow Device Parts	
GVS Part #	Description
03-012-PM	Quick Release Tail 1/4" Mal
03-013-PM	Adapter 1/4" GVS-RPB Plu
03-042-CF	Schrader Coupler to 1/4" N
03-042-PF	Schrader Plug to 1/4" NPT
03-042-PM	DQC SHD-Series Schrader
03-043-PM	Schrader Twist Lock 3/8 M
03-052-PM-RZ	Quick Release Tail 1/4" Mal with RZ Filting
4000-03	Top Thread Cap BSP Threa For 4000-01.
4000-03GHT	Top Thread Cap GHT Threa For 4000-21.
4000-04	Cold Air Spinner
4000-05B	Cool Air Tube Body
4000-05R	Hot Air Tube Body
4000-07	Breaker
4000-08	Regulator Body
4000-09	Spindle and Knob
4000-10	Locking Screw
4000-11	Regulator Assembly
4000-12	Temperature Shield



	Certifications
ale Thread	NIOSH
ug to 3/8″ NPT Male Thread	NIOSH
NPT Female	NIOSH
Female	NIOSH
r Plug to 1/4″ NPT Male	NIOSH
INPT Plug	NIOSH
ale Thread	NIOSH
ad	
ad	

Supplied Air Flow Device Parts		C40™ Climate Control I	C40 [™] Climate Control Device Parts	
GVS Part #	Description	Certifications		
4000-13	Hot Air Spinner			
4000-14	Flow Reducer		6	
4000-15	Outlet Valve		· · · · · · · · · · · · · · · · · · ·	
4000-16	Silencer Disc			
4000-16B	Silencer Disc - Brass		7	
4000-17	Retainer Nut			9
4000-18	Outlet Valve Complete Assembly			Part # / Description
4000-38	Outlet Valve For 4000-40.			04-833 SAR Breathing Tube For Z-Link and T-Link.
NV2022	1.5" Nylon Belt		Constant of the owner o	04-852 Tychem [®] Breathing Tube Cover Breathing tube not included.
NV2023	SAR Breathing Tube Hose Washer (pk 5)		Contraction of the second	04-854 FR Breathing Tube Cover Breathing tube not included.
NV2025	Quick Release Coupler 1/4" Female Thread	1	· Contraction	04-855 Aluminized Breathing Tube Cover Breathing tube not included.
NV2034	Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread		5	04-856 Disposable/Decon Breathing Tube Sleeve (pk 10)
			-	04-862





C40™ Tychem° Cover

1/4" Plug to 1/4" NPT Male Swivel

03-012-PMS

03-042-PMS

Swivel Plug

03-052-PMS-RZ

1/4" Male Thread RZ Coupler

Elipse[®] Half-face Respirator





	Certifications
	NIOSH
	NIOSH
PR643 and SPR644	
d SPR550 respirators.	
	NIOSH
	NIOSH
6 respirators,	
pspirators.	
	NIOSH
7 respirators,	NIOSH
espirators,	
	NIOSH
	NIOSH
57 respirators,	
respirators.	
	NIOSH
	NIOSH
3 respirators,	
respirators.	
	NIOSH
	NIOSH
2 respirators, espirators.	
	NIOSH
	NIOSH
5 respirators,	
espirators.	

Elipse® Half-face Respirator

Elipse Accessorie	5			Elipse Parts	
GVS Part #		Description	Certifications	GVS Part #	Description
SPM001	As	Hard Carry Case for P100 Fits respirators SPR449, SPR451, SPR456, SPR457, SPR643 and SPR644.		SPM557 Size S/M SPM558 Size M/L	Respirator Particulate Strap
SPM008	95	Hard Carry Case Fits respirators SPR656 and SPR657.		SPM560	Headband Connectors - for Elipse P100.
SPM009	GVS	Hard Carry Case for High Efficiency Gas Fils respirators SPR466, SPR467, SPR472, SPR473, SPR481, SPR482, SPR484 and SPR485.		SPM561	Headband Clips (pk 4) For High Efficiency Gas Respira
SPM414		Portacount Face Fit Kit Adaptor For P100 Filters]. P
PM420	A	Pre-filter Kits Includes 2 holders and 10 pads, for SPR656,		SPM563	Turn-buckles (pk 2)
SPM421		SPR657, SPR659 and SPR660 filters. Pre-filter Pads (pk 20) For SPM420.		SPM564	Headband Clips (pk 4) For High Efficiency Gas Respira
SPM562		Plastic Cover Kit for Low Profile Cartridges Fits Elipse OV/P100 (SPR656 and SPR657) and Integr (SPR659 and SPR 650), and SPR658 cartridges.	a OV/P100	SPM565	Slim Stubber Head Band Pad
PM578	Ø	Respirator Cradle Pad		SPM566	Valve Cover
SPM587		Starter Kit Includes SPR457, 1 SPR321 and 1 SPM001.		SPM568	Valve Diaphragms (pk 3) For Respirators and Gas filters.
PM646	KOC (Portacount Face Fit Kit Adaptor For gas and vapor cartridges		SPM570 Size S/M SPR571 Size M/L	Elastics for Respirators Pair.
The Elipse Star comes with filte	ers already installe	77) Elipse P100 Respirator (SPR457) which ed, an extra set of P100 filters (SPR321), D01) all in one convenient package.	E SALANA ANALANA ANA		



Certifications
ap Support Assembly
irators.
irators.
Pad
'S.

Elipse[®] Half-face Respirator

P100 with Source Control



Elipse P100 Source Control Half-face Respirator

GVS Part # SPR643 Size S/M SPR644

Elipse P100 Source Control Package also includes: Replaceable filters.

Description

SPR321

Size M/L



P100 Filters Pair, for Elipse SPR451, SPR457, SPR643 and SPR644

NIOSH

Certifications

NIOSH



N31000



SPM900



UV Sterilizer





Certifications

NIOSH

respirators@gvs.com

Integra® Half-face Respirator



With its low-profile design, the Integra® ensures a clear line of sight, enhancing precision and accuracy when working, while protecting your eyes with the addition of integrated safety glasses.

GVS Part #	Description
SPR549 SPR550	Integra P100 Available in S/M and M/L Package also includes:
<u></u>	Replaceable filters.
SPR321	P100 Filters Pair, for Elipse SPR451, SPR457, SP respirators, and Integra SPR549 and
SPR551 SPR552	Integra P100 Nuisance Odor Available in S/M and M/L Package also includes: Replaceable filters.
SPR450	P100 Nuisance Odor Fillers Pair, for Elipse SPR449 and SPR456 and Integra SPR551 and SPR552 re
SPR553 SPR554	Integra OV/P100 Available in S/M and M/L Package also includes: Replaceable cartridges.
SPR468	OV/P100 Cartridges Pair, for Elipse SPR466 and SPR46, and Integra SPR553 and SPR554 re
SPR659 SPR660	New Integra OV/P100 Available in S/M and M/L Package also includes: Replaceable cartridges.
SPR658	New OV/P100 Cartridges Pair, for Elipse SPR466 and SPR46. and Integra SPR559 and SPR560 r
SPR555 SPR556	Integra OV/AG/P100 Available in S/M and M/L Package also includes: Replaceable cartridges.
SPR474	OV/AG/P100 Cartridges Pair, for Elipse SPR472 and SPR473 and Integra SPR555 and SPR556 rd
SPR630 SPR631	Integra Multi-gas Available in S/M and M/L Package also includes: Replaceable cartridges.
SPR483	Multi-gas Cartridges Pair, for Elipse SPR481 and SPR482 and Integra SPR630 and SPR631 re
SPR623 SPR624	Integra Multi-gas P100 Available in S/M and M/L Package also includes: Replaceable cartridges.
SPR486	Multi-gas P100 Cartridges Pair, for Elipse SPR484 and SPR484 and Integra SPR623 and SPR624 re



	Certifications
	NIOSH, ANZI Z87+, CAN/CSA Z94.3-20
	NIOSH
PR643 and SPR644	
d SPR550 respirators.	
	NIOSH, ANZI Z87+, CAN/CSA Z94.3-20
	NIOSH
6 respirators, espirators.	
	NIOSH, ANZI Z87+, CAN/CSA Z94.3-20
7 occirchore	NIOSH
37 respirators, espirators.	
	NIOSH, ANZI Z87+, CAN/CSA Z94.3-20
37 respirators,	NIOSH
respirators.	
	NIOSH, ANZI Z87+, CAN/CSA Z94.3-20
	NIOSH
3 respirators,	
respirators.	
	NIOSH, ANZI Z87+, CAN/CSA Z94.3-20
	NIOSH
2 respirators,	
espirators.	
	NIOSH, ANZI Z87+, CAN/CSA Z94.3-20
	NIOSH
5 respirators,	
espirators.	

Integra® Half-face Respirator

Integra Access	sories			Integra Parts	
GVS Part #		Description	Certifications	GVS Part #	Description
SPM007	gys	Hard Carry Case Fits respirators SPR549, SPR550, SPR551, SPR552, SPR553, SPR554, SPR555, SPR556, SPR623, SPR624, SPR630, and SPR631.		SPM559	Respirator Particulate Strap
SPM414		Portacount Face Fit Kit Adaptor		SPM561	Headband Clips (pk 4) For High Efficiency Gas Respira
SPM420		Pre-filter Kits Includes 2 holders and 10 pads, for SPR656, SPR657, SPR659 and SPR660 filters.		SPM565	Slim Stubber Head Band Pad
SPM421		Pre-filter Pads (pk 20) For SPM420.		SPM565	Stim Stubber Head Band Pad
SPM520		Peel-off Visor (pk 10)		SPM567	Headband Connectors (pk 2) For High Efficiency Gas Respira
SPM562	~~	Plastic Cover Kit for Low Profile Cartridges Fits Elipse OV/P100 (SPR656 and SPR657) and In (SPR659 and SPR 650), and SPR658 cartridges.		SPM569	Headband Connectors (pk 2) For Integra Low Profile Gas Res
SPM639	26	Prescription Lens Insert			
SPM646		Portacount Face Fit Kit Adaptor For gas and vapor cartridges.		SPM570 Size S/M SPM571 Size M/L	Elastics for Respirators Pair.



Certifications				
ap Support Assembly				
pirators.				
Pad				
: 2)				
pirators.				
: 2) Respirators.				

Copyright ©2023 GVS S.p.A.. All rights reserved.

All materials contained in this publication are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of GVS S.p.A.. You may not alter or remove any trademark, copyright or other notice from copies of the content.

Trademarks and Other Intellectual Property

All trademarks, service marks, and logos used in this publication, both registered and unregistered, are the trademarks, service marks, or logos of their respective owners. The green and gray color combination is a registered trademark of GVS S.p.A.. All rights in the GVS-RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. GVS-RPB Intellectual Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, how-how, brands, trademarks, trade names, slogans, logos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by GVS S.p.A..

DuPont™ Tychem is a registered trademark of E.I. du Pont de Nemours and Company or its affiliates.

WARNING PRODUCT SELECTION

- Determine what type of protection is required for your activity. As applicable, check your workplace safety program, respiratory protection program, and standards and regulations for your activity or industry.
- 2. Check product specifications. Contact GVS or check the product instruction manual (downloadable from gvs-rpb.com) for complete specifications, including approvals, standards, and regulations to which the product conforms.
- **3. Make sure you have a complete system.** Verify that you have or are purchasing all required components. System requirements are available from GVS or in product instruction manuals.

Selecting inappropriate or incomplete equipment, including the use of counterfeit or non-GVS parts, can result in inadequate protection and will void the NIOSH approval of the entire respirator.





Ú.

Want to know more? Contact us:

Parts are regularly added and updated, and changes occur from time to time. Contact our team for the latest information.

EUROPE

Italy - Head Office

GVS S.P.A. Via Roma 50, 40069 Zola Predosa (BO), Italy Tel. +39-051-617-6311 gvs@gvs.com

United Kingdom

GVS Filter Technology UK Ltd. NFC House, Vickers Industrial Estate Mellishaw Lane, Morecambe Lancashire LA3 3EN Tel. +44-(0)-1524-847-600 qvsuk@gvs.com

Romania

GVS Microfiltrazione srl Sat Ciorani de Sus 1E, 107156 Ciorani Prahova România Tel. +40-244-463044 gvsromania@gvs.com

Turkey

GVS Türkiye Cevizli mah. Zuhal cad. Ritim Istanbul no: 44 A-1 Blok D.371 Maltepe / Istanbul Tel. +90-216-504-4767 gvsturkey@gvs.com

AMERICAS

U.S.A.

GVS-RPB Safety LLC. 2807 Samoset Rd, Royal Oak, MI 48073, USA Tel. 1-866-494-4599 respirators@gvs.com

Mexico

Universal No. 550, Vynmsa Aeropuerto Apodaca Industrial Park, Ciudad Apodaca, Nuevo León, C.P. 66626, México Tel. +52-81-2282-9003 gvsmex@gvs.com

Brazil

GVS do Brasil Ltda. Rodovia Conego Cyriaco Scaranello Pires 251 Jd. Progresso, CEP 13190-000 Monte Mor (SP), Brasil Tel. +55-193-879-7200 gvs@gvs.com.br

Argentina

Av. Rivadavia 13.332 Piso 1 Of. 1001 CP: 1704 Ramos Mejía Buenos Aires Tel. +54-11-49889041 gvsarg@gvs.com

ASIA-PACIFIC

China

GVS Technology (Suzhou) Co., Ltd. Fengqiao Civil-Run Sci-Tech Park, 602 Changjiang Road, S.N.D. Suzhou, China 215129 Tel. +86-512-6661-9880 qvschina@qvs.com

Japan

GVS Japan K.K. KKD Building 4F, 7-10-12 Nishishinjuku Shinjuku-ku, Tokyo 160-0023 Tel. +81-3-5937-1447 gvsjapan@gvs.com

Korea

GVS Korea Ltd #315 Bricks Tower 368 Gyungchun-ro (Gaun-dong), Namyangju-si, Gyunggi-do, Tel: +82-31-563-9873 gvskorea@gvs.com

India

GVS Filter India Pvt Ltd Unit No 35 & 36 on First Floor Ratna Jyot Industrial Premises Irla Lane, Irla Vile Parlae, Mumbai 400056, India gvsindia@gvs.com

Malaysia

GVS Filtration Sdn.Bhd Lot No 10F-2B, 10th Floor,Tower 5 @ PFCC Jalan Puteri 1/2, Bandar Puteri 47100 Puchong, Selangor, Malaysia Tel: +60-3-7800-0062 gvsmalaysia@gvs.com

Thailand

GVS Thailand 88 Ratchadaphisek Rd, Office 10E03 - Khlong Toei, Bangkok 10110 Tel: +66-2-163-4310 gvsthailand@gvs.com

ALASDAF Trading Est E: alasdaf@al-asdaf.com T: +966 13 362 0988 www.alasdaf.com.sa

linkedin.com/showcase/gvs-health-and-safety

gvs-rpb.com



youtube.com/gvsrpb

respirators@gvs.com