

www.alasdaf.com.sa

MILWAUKEE® SAFETY FOOTWEAR



FLEXTRED 2024 / ARMOURTRED 2025



ENERGY FOAM

CONTENTS

BOA® Fast Lacing System Safety Footwear Overview MILWAUKEE® FLEXTRED™

FLEXTRED Products & Size Guide

MILWAUKEE® ARMOURTRED™

ARMOURTRED Explained

ARMOURTRED Products

FLEXTRED Explained

Safety Footwear Point of Sale

04-05

06-07

08-09

10-11

12-13

14-17

18-19

20-21

CKOUT₂₂₋₂₃

24-25

ALASDAF Trading Est E: alasdaf@al-asdaf.com T: +966 13 362 0988 www.alasdaf.com.sa

02 | MILWAUKEETOOL.EU

MILWAUKEE® FOOTWEAR | 03



ENERGYFOAM


Expanded TPU provides maximum energy return and comfort

ANTI-PUNCTURE PLATE

Sits underneath ENERGY FOAM technology







MILWAUKEE® ENERGY FOAM provides unmatched comfort in every step. With its unique construction, the premium expanded TPU foam sits above the anti-puncture plate allowing users to be in direct contact with the cushioning technology. Ensuring maximum energy return and comfort for all day use on the jobsite.





BOA® FAST LACING SYSTEM SYSTEM TO THE PROPERTY OF THE PROPER

INTRODUCING THE MILWAUKEE® SAFETY FOOTWEAR RANGE WITH BOA® FAST LACING SYSTEM

WHY CHOOSE THE BOA® FAST LACING SYSTEM?

CONVENIENCE: Simplifies adjustments with a dial mechanism. Even whilst wearing gloves.

UNIFORM PRESSURE

DISTRIBUTION: Reducing discomfort caused by pressure points during long hours on your feet.

CUSTOMISATION:

Precise adjustments allow for personalised comfort and support.

DURABILITY: Designed for longevity, offering superior resistance to wear and tear.



WEATHER RESISTANCE: Maintains a secure hold even in wet or challenging conditions on the jobsite.

HOW TO USE



PUSH IN TO ENGAGE



TURN FOR PRECISION FIT - TIGHTEN



PULL UP FOR FAST RELEASE





MILWAUKEE® SAFETY SHOES



SHOE MODEL		MILWAUKEE® FLEXTRED™								
SHOE TYPE		Safety Trainer	Safety Trainer	Safety Boot	Safety Boot	Safety Trainer	Safety Trainer	Safety Boot	Safety Trainer	Safety Boot
LACING TYPE		Laces	BOA®	Laces	BOA®	Laces	BOA®	Laces	BOA®	Laces
COLOUR		Black	Black	Black	Black	Black	Black	Black	Black	Beige
UPPER MATERIAL		Textile	Textile	Textile	Textile	Nubuck Leather				
SHOE SIZE		36-48	36-48	36-48	36-48	36-48	36-48	36-48	36-48	36-48
METAL FREE (EXCEPT BOA) / SUITABLE FOR SECURITY GATES		yes	yes	yes	yes	yes	yes	yes	yes	yes
				SA	FETY SHOE CLAS	SS				
SAFETY SHOE CLASS		S1PS	S1PS	S1PS	S1PS	S3S	S3S	S3S	S3S	S3S
TOE CAP (MATERIAL)		Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass
(FORMERLY	/ SLIP RESISTANCE SRA)	✓	✓	✓	✓	✓	✓	/	✓	✓
CLOSED HE	EL		1	/	4	1	4	/	/	✓
A - ELECTROSTATIC DISCHARGE		✓	✓	✓	✓	✓	✓	✓	✓	✓
B - ENERGY UNDER THE		✓	✓	/	✓	✓	✓	/	✓	✓
DUNOTURE	P - Metal	-	-	-	-	-	-	-	-	-
PUNCTURE PROTECTION / ANTIPUNCTURE	PL - Non-Metal - (4.5 mm Test Nail)	-	-	-	-	-	-	-	-	-
PLATE	PS - Non-Metal - (3 mm Test Nail)	✓	✓	✓	✓	/	~	/	✓	✓
WPA - WATER ABSORPTION	R PENETRATION & N	-	-	-	-	✓	✓	✓	✓	✓
WR - WATER (MEMBRANE	RESISTANCE i)	-	-	-	-	-	-	-	-	-
			ı	ADDIT	IONAL REQUIREN	MENTS	ı			
FO	Oil and Gasoline Resistance of the Outsole	✓	✓	✓	✓	✓	✓	✓	✓	✓
н	HI - Heat Insulation of the Shoe Base	-	-	-	-	-	-	-	-	-
CI	Cold Insulation of the Shoe	-	-	-	-	-	-	-	-	-
HRO	Short-term Heat Resistance of the Outsole Material up to 300°C	-		-	-		-	-	-	-
M	Metatarsal Protection	-	-	-	-	-	-	-	-	-
AN	Ankle Protection	-	-	-	-	-	-	-	-	-
sc	Abrasion Resistance of the Toe Cap Material	-	-	-	-	1	1	1	1	-
SR	Slip Resistance, tested on a ceramic tile with glycerin	/	1	~	1	1	1	1	1	✓
LG	Grip on Ladders through Transverse Inserted Profile (at least 1.5 mm high)	-	-	-	-	-	-	-	-	-
CR	Cut Resistance in the Area above the Sole Edge	-	-	-	-	-	-	-	-	-
ESD	Anti-Static	✓	✓	✓	✓	✓	✓	✓	✓	✓

	MILWAU	KEE® ARMOU	RTRED™	
Safety Trainer	Safety Boot	High Safety Boot	Safety Trainer	Safety Boot
Laces	Laces	Laces	BOA®	BOA®
Black	Black	Black	Black	Black
Leather	Leather	Microfiber	Microfiber	Microfiber
39-48	39-48	39-48	39-48	39-48
no		no		
	S	AFETY SHOE CLAS	SS	
S3S	S3S	S7S	S3S	S7S
Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
1	✓	✓	✓	/
✓	✓	✓	✓	✓
✓	✓	/	✓	/
1	4	1	✓	1
-	-	-	-	-
-	-	-	-	-
1	✓	1	✓	/
✓	✓	1	✓	✓
-	-	Sympatex ® Membrane	-	Sympatex ® Membrane
	ADDIT	FIONAL REQUIREN	IENTS	
1	✓	1	✓	✓
✓	✓	1	✓	✓
✓	<u> </u>	✓	<u> </u>	✓
✓	✓	✓	✓	✓
-	-	-	-	-
		4		-
/	/	/	✓	✓
1	✓	1	✓	/
/	~	~	~	/
-	-		-	-
4	1		4	_

O8 | MILWAUKEETOOL.EU/



Crafted with the needs of workers who require maximum flexibility and comfort whilst remaining protected on the jobsite.

FLEXTRED SETS THE STANDARD FOR

SETS THE STANDARD FOR

FLEXIBILITY,

COMFORT &

DURVAISILITYA















ROLL©AGE™



REFLECTIVE

HEEL LOOP

LACE POCKET



LIGHTWEIGHT

COMPOSITE TOE CAP





VIEW THE MILWAUKEE® FLEXTRED™ RANGE

ENERGYFOAM

SITS ABOVE ANTI-PUNCTURE PLATE FOR MAXIMUM COMFORT







NEW FLEXTRED

THE MILWAUKEE® FLEXTRED FOOTWEAR RANGE

MILWAUKEE® Sets the standard for durability, flexibility & comfort.



FLEXTRED S1PS SAFETY TRAINERS

BLACK 1L110133 ESD FO SR

Flexible and lightweight all-round safety trainers for tradesmen protection. Textile upper for all-day ventilation and breathability. Features superior grip to prevent slipping, ESD certified and a metal free construction for passing through security gates. Certified according to EN ISO 20345:2022 S1PS









Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



FLEXTRED S1PS SAFETY TRAINERS

BLACK B1L110133 ESD FO SR

Flexible and lightweight all-round safety trainers for tradesmen protection. Textile upper for all-day ventilation and breathability. Features the BOA® Fit System, superior grip to prevent slipping, ESD certified and a metal free construction. Certified according to EN ISO 20345:2022 S1PS ESD FO SR.











Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



FLEXTRED S1PS SAFETY BOOTS

BLACK 1M110133 ESD FO SR

Flexible and lightweight all-round safety boots for tradesmen protection. Textile upper for all-day ventilation and breathability. Features superior grip to prevent slipping, ESD certified and a metal free construction for passing through security gates. Certified according to EN ISO 20345:2022 S1PS











Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



FLEXTRED S1PS SAFETY BOOTS

BLACK B1M110133 ESD FO SR

Flexible and lightweight all-round safety boots for tradesmen protection. Textile upper for all-day ventilation and breathability. Features the BOA® Fit System superior grip to prevent slipping, ESD certified and a metal free construction. Certified according to EN ISO 20345:2022 S1PS ESD FO SR.













Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



FLEXTRED

S3S SAFETY TRAINERS

BLACK 1L110133 ESD SC FO SR

Flexible and lightweight all-round safety trainers for tradesmen protection. Nubuck water repellent leather upper to protect from water, dust and dirt. Features superior grip to prevent slipping, ESD certified and a metal free construction for passing through security gates. Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.











Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



FLEXTRED S3S SAFETY TRAINERS

BLACK B1L110133 ESD SC FO SR

Flexible and lightweight all-round safety trainers for tradesmen protection. Nubuck water repellent leather upper to protect from water, dust and dirt. Features the BOA® Fit System, superior grip to prevent slipping, ESD certified and a metal free construction. Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.















Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48





NEW FLEXTRED

THE MILWAUKEE® FLEXTRED FOOTWEAR RANGE

MILWAUKEE® Sets the standard for durability, flexibility & comfort.





S3S SAFETY BOOTS

BLACK 1M110133 ESD SC FO SR

Flexible and lightweight all-round safety boots for tradesmen protection. Nubuck water repellent leather upper to protect from water, dust and dirt. Features superior grip to prevent slipping, ESD certified and a metal free construction for passing through security gates. Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.











Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48







S3S SAFETY BOOTS

BEIGE 1M171311 ESD FO SR

Flexible and lightweight all-round safety boots for tradesmen protection. Nubuck water repellent leather upper to protect from water, dust and dirt. Features superior grip to prevent slipping, ESD certified and a metal free construction for passing through security gates. Certified according to EN ISO 20345:2022 S3S ESD FO SR.











Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48









S3S SAFETY BOOTS

BLACK B1M110133 ESD SC FO SR

Flexible and lightweight all-round safety boots for tradesmen protection. Nubuck water repellent leather upper to protect from water, dust and dirt. Features the BOA® Fit System, superior grip to prevent slipping, ESD certified and a metal free construction. Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.













Sizes Available: 36 / 37 / 38 / 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



THE MILWAUKEE® SAFETY FOOTWEAR SIZE GUIDE











LENGTH (MM)	EUR	UK
239,4	36	3
246,0	37	4
252,7	38	5
259,3	39	6
266,0	40	6.5
272,6	41	7
279,2	42	8
285,9	43	9
292,5	44	10
299,2	45	10.5
305,8	46	11
312,5	47	12
319,1	48	13



ARMOURTRED[™]

LENGTH (MM)	EUR	UK
259,3	39	6
266,0	40	6.5
272,6	41	7
279,2	42	8
285,9	43	9
292,5	44	10
299,2	45	10.5
305,8	46	11
312,5	47	12
319,1	48	13

MILWAUKEE® FOOTWEAR | 017 O16 | MILWAUKEETOOL.EU/





REFLECTIVE HEEL LOOP

LACE POCKET

> SHOCK SHIELD

STEP RELEASE"



VIEW THE MILWAUKEE® ARMOURTRED™ RANGE **ENERGY**

SITS ABOVE ANTI-PUNCTURE PLATE FOR MAXIMUM COMFORT ROLL©AGE™
HEEL STABILIZER





MILWAUKEE® FOOTWEAR | 021



sympatex®

ARMOURTRED S3S SAFETY TRAINERS

BLACK 1L110111W ESD CI HI HRO SC FO LG SR

Durable and protective safety trainers for heavy duty jobsite protection. Full grain cow leather upper to protect from water, dust and dirt and is easy to clean. Features a wide fit, heavy duty durable rubber outsole that is heat resistant to 300°C with superior grip to protect against slips and ESD. Certified according to EN ISO 20345:2022 S3S ESD CI HI HRO SC FO LG













Sizes Available: 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



ARMOURTRED S3S SAFETY BOOTS

BLACK 1M110111W ESD CI HI HRO SC FO LG SR

Durable and protective safety boots for heavy duty jobsite protection. Full grain cow leather upper to protect from water, dust and dirt and is easy to clean. Features a wide fit, heavy duty durable rubber outsole that is heat resistant to 300°C with superior grip to protect against slips and ESD. Certified according to EN ISO 20345:2022 S3S ESD CI HI HRO SC FO LG













Sizes Available: 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



ARMOURTRED S7S SAFETY BOOTS

BLACK 1H110111W CI HI AN HRO SC FO LG SR

Durable and protective safety boots for heavy duty jobsite protection. Full grain cow leather upper to protect from water, dust and dirt and is easy to clean. Features a wide fit, heavy duty durable rubber outsole that is heat resistant to 300°C with superior grip to protect against slips, Sympatex® waterproof membrane to stay dry and ankle protectors. Certified according to EN ISO 20345:2022 S7S CI AN HRO SC FO LG SR.











Sizes Available: 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48



ARMOURTRED S3S SAFETY TRAINERS

BLACK B1L110111W ESD CI HI HRO SC FO LG SR

Durable and protective safety trainers for heavy duty jobsite protection. Microfiber light weight upper to protect from water, dust and dirt and is easy to clean. Features a wide fit, heavy duty durable rubber outsole that is heat resistant to 300°C with superior grip to protect against slips, the BOA® Fit System and ESD. Certified according to EN ISO 20345:2022 S3S ESD CI HI HRO SC FO LG SR.
















sympatex ®

ARMOURTRED S7S SAFETY BOOTS

BLACK B1M110111W CI HI HRO SC FO LG SR

Durable and protective safety boots for heavy duty jobsite protection. Microfiber light weight upper to protect from water, dust and dirt. Features a wide fit, heavy duty durable rubber outsole that is heat resistant to 300°C with superior grip to protect against slips, BOA® Fit System and Sympatex® waterproof membrane to stay dry. Certified according to EN ISO 20345:2022 S7S CI HI HRO SC FO LG SR.











Sizes Available: 39 / 40 / 41 / 42 / 43 / 44 / 45 / 46 / 47 / 48

022 | MILWAUKEETOOL.EU/ MILWAUKEE® FOOTWEAR | 023



Nothing but **HEAVY DUTY.**™

View Milwaukee® safety footwear range:



ALASDAF Trading Est E: alasdaf@al-asdaf.com T: +966 13 362 0988 www.alasdaf.com.sa

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. 01/24 – Copyright 2024 – Milwaukee Electric Tool



